

### CLAIM LISTING

1. (currently amended) A method ~~for a user to~~ adding a watermark image to a composition, said method comprising:

~~using a network browser operating on a network connected computing device to:~~  
receiving a network communication selecting a watermark image, the access a  
watermark service operating on a network server, the watermark service being stored  
on a first network server and having access to a plurality of storing watermark images;  
~~select a watermark image from the watermark images stored by the watermark~~  
~~service;~~

~~select~~ accessing a target composition that includes one or more graphic  
references using the watermark service, the target composition being stored on a  
second network server such that the watermark service accesses the second network  
server on which the target composition is stored to access retrieve the target  
composition; and

generating ~~generate~~ a watermark composition comprising the one or more  
graphic references of the target composition and a reference to the selected the  
watermark image ~~using the watermark service.~~

2. (currently amended) The method of claim 1, wherein receiving a network  
communication selecting a watermark image is accomplished with the aid of an imaging  
extension, accessing watermark service, an imaging extension is used.

3. - 4. (Canceled).

5. (currently amended) The method of claim 1, further comprising storing the  
watermark composition within a composition store operating on a the second network  
server.

6. (Previously presented) The method of claim 5, wherein storing the watermark

composition comprises retaining web content such that when the web content is served to a remote service web browser, the remote service generates a hard-copy product using the watermark composition.

7. - 13. (Canceled).

14. (Previously presented) The method of claim 1, wherein the target composition is stored in a personal-imaging repository associated with the user.

15. - 16. (Canceled).

17. (currently amended) A system for adding a watermark to a document composition, comprising:

a watermark service coupled to a network and having access to imaging service content representing a plurality of watermark images ~~a server including imaging service content, the server coupled to a network, the imaging service content comprising watermark images;~~ and

a computing device coupled to the network, the computing device configured with a browser, wherein the browser is configured to receive the imaging-service content from the watermark service, enable a user of the browser to select a watermark image from the plurality of watermark images represented by ~~contained in~~ the imaging-service content, obtain a reference to the selected ~~extract data reflective of the~~ watermark image designated for integration in a product with a target composition stored in a data storage device communicatively coupled with the computing device, the target composition including one or more graphic references, and generate at least initiate the generation of a watermark composition comprising the reference to the watermark image and the one or more graphic references ~~target composition~~.

18. (currently amended) The system of claim 17, wherein the reference to the selected watermark includes a reference to a textual watermark ~~the imaging service content comprises text~~.

19. (currently amended) The system of claim 17, wherein the reference to the selected watermark includes a reference to a graphical design watermark ~~the imaging-service content comprises a graphic design.~~

20. (Original) The system of claim 17, wherein the browser comprises an imaging extension.

21. (Original) The system of claim 17, further comprising:  
a service server coupled to the network and a service, wherein the service server receives data from the browser.

22. (Original) The system of claim 21, wherein the data comprises resource device commands.

23. (currently amended) The system of claim 21, wherein the data comprises a reference for accessing links to access the watermark composition from the data storage device.

24. (Original) The system of claim 22, wherein the resource device commands are configured to direct the creation of a hard-copy product.

25. (currently amended) A computer-readable medium comprising storing computer readable instructions for ~~performing the steps of:~~  
receiving imaging-service content representing a plurality of watermark images ~~comprising watermark images;~~  
enabling a user to select identify a watermark image from the plurality of watermark images represented by the imaging service content of the watermark images;  
obtaining a reference to a extracting data reflective of the watermark image identified-selected by the user;

~~identifying enabling the user to identify at least one target one or more~~  
compositions designated for integration with the reference to the selected watermark  
image, each of the one or more compositions including one or more graphic references;  
for each of the one or more compositions, initiating the generation of generating  
a watermark composition comprising the reference to the watermark image and the one  
or more graphic references of that composition at least one target composition; and  
initiating the storage of the one or more generated ~~storing the watermark~~  
compositions in a personal imaging repository.

26. (currently amended) The computer-readable medium of claim 25, storing  
further ~~comprising computer-readable instructions for performing the step of:~~  
redirecting the one or more watermark compositions to at least one service to  
generate a product.

27. (cancelled)

28. (cancelled)

29. (cancelled) T

30. (currently amended) The computer-readable medium of claim 26, wherein  
the instructions for redirecting include instructions for redirecting a reference to at least  
one of the one or more ~~link to the~~ watermark compositions, the watermark composition  
residing within a the personal imaging repository.

31. (cancelled)